



BusinessMail X.400

Group Administrator's Web Interface V2.1

Erleben, was verbindet.



# BusinessMail X.400

Web Interface

Group Administrator



## Group Administrator's Web Interface (General 1)

- Until now you had to use structured messages to manage the X.400 Mailboxes configured for your Group Administrator account. You had to send those messages to a special mailbox and you had received a message with result information.
- While using WebConfig you are able to manage all your mailboxes accounts directly independent which type of account (normal, with central EDI function, MessageGate or AS2) you want to modify.
- To access WebConfig for the first time, it is necessary to download a client certificate stored on URL <http://www.service-viat.de> to import it into certificate store of your OS/ browser. If you use different client certificates you have to use this new certificate while setting up the communication to WebConfig.



# BusinessMail X.400

Web Interface

Group Administrator



## Group Administrator's Web Interface (General 2)

- For first login into WebConfig, you may use the login data (User name, Password) of your mailbox account (**not FTP Login data!**) but you have to set a new password. This password is only valid for WebConfig and not for the mailbox. If the Group administration function is configured for a MessageGate or AS2 account, you'll receive WebConfig login data together with all other data.
- Please contact Helpdesk of BusinessMail X.400 if you do not have access to mailbox login data. The first registration is free of charge.
- You may now switch to authentication with personalized certificate.



# BusinessMail X.400

Web Interface

Group Administrator



## New features in WebConfig since V1.6

- GUI with choice of German and English language
- Beside the choice GUI language it is possible to configure time zone and separator for CSV files in “WebConfig Management –Properties”. You may also configure the life time of cookies.
- Instead to login into WebConfig via username and password you now may now use a personalized client certificate for authentication. You may download this certificate in menu item WebConfig Management – Downloads.




# BusinessMail X.400

Web Interface

Group Administrator



## Secure Communication via Internet (https)



Address <https://webconfig.viat.de/webconfiglogin/>



# BusinessMail X.400

Web Interface

Group Administrator



## Management of Mailbox accounts

WebConfig will offer the following features:

- Management of Group Administrator's Mailbox account (Mailbox Administration, relations, displayed Menu items depend on type of account)
- Management of configured Mailbox accounts (displayed Menu items depend on type of account)
- Extended management options, for example modify X.400 address (but not the values of Country, ADMD name, PRMD name and Organization)



# BusinessMail X.400

## Web Interface

### Group Administrator



## Login Information (1)

Erleben, was verbindet.

groupadmin (55695)

Your WebConfig certificate is valid until **1.09.2013** (1095 days left)

**Group administrator** ⓘ

Mailbox user	other user
55695	cn=groupadmin tester, g=groupadmin; s=tester; o=testag; n-id=2055695; a=VIAT-TEST; c=DE

**News** ⓘ

Attention: The general client certificate has to be replaced until 6th of October 2010. Download it at "<http://www.service-viat.de/html/web-konfigurationsoberflache.html>". You now have the possibility to login into WebConfig via user defined certificate. Also for P7 access authentication via certificate is now available.

- When login into WebConfig you find some information about new features or changes in GUI depending on type of your Mailbox account.
- You may directly choose the menu items of this account.
- If you want to manage another account press "other user" to get a list of all configured accounts.



# BusinessMail X.400

## Web Interface

### Group Administrator



## Login information (2)

Erleben, was verbindet.

groupadmin (55695)

Your WebConfig certificate is valid until **1.09.2013** (1095 days left)

**Group administrator** ⓘ

Mailbox user	other user
55695	cn=groupadmin tester; g=groupadmin; s=tester; o=testag; n-id=2055695; a=VIAT-TEST; c=DE

**News** ⓘ

Attention: The general client certificate has to be replaced until 6th of October 2010. Download it at "<http://www.service-viat.de/html/web-konfigurationsoberflache.html>". You now have the possibility to login into WebConfig via user defined certificate. Also for P7 access authentication via certificate is now available.

- If you use a personalized certificate when log into WebConfig you'll see an information how long this certificate is valid.
- If you had logged in via personalized certificate and log out you'll see the login window with username and password. If you would like to log in again, you have not to enter a value only press "Login" button.

# BusinessMail X.400

## Web Interface

### Group Administrator



## List of configured accounts

Erleben, was verbindet.

groupadmin (55695)

Group administrator

Mailbox user	other user
55695	ID=55695; cn=groupadmin tester; g=groupadmin; s=tester; o=testag; n-id=2055695; a=VIAT-TEST; c=DE

Mailbox user

- ID=49637; cn=ipm tester; g=ipm; s=tester; o=testag; n-id=2049637; a=VIAT-TEST; c=DE
- ID=49638; cn=edi tester; g=edi; s=tester; o=testag; n-id=2049638; a=VIAT-TEST; c=DE
- ID=49639; cn=as2 tester; g=as2; s=tester; o=testag; n-id=2049639; a=VIAT-AS2; c=DE
- ID=49640; cn=mgate tester; g=mgate; s=tester; o=testag; n-id=2049640; a=VIAT-AS2; c=DE
- ID=55695; cn=groupadmin tester; g=groupadmin; s=tester; o=testag; n-id=2055695; a=VIAT-TEST; c=DE
- ID=55696; cn=000; s=000; o=testag; n-id=2055696; a=VIAT-TEST; c=DE
- ID=55697; cn=001; s=001; o=testag; n-id=2055697; a=VIAT-TEST; c=DE
- ID=55698; cn=002; s=002; o=testag; n-id=2055698; a=VIAT-TEST; c=DE
- ID=60000; cn=test evnlogin1; g=test; s=evnlogin1; o=dtag; n-id=2060000; a=VIAT-TEST; c=DE
- ID=60001; cn=test evnlogin2; g=test; s=evnlogin2; o=dtag; n-id=2060001; a=VIAT-TEST; c=DE
- ID=60002; cn=test evnlogin3; g=test; s=evnlogin3; o=dtag; n-id=2060002; a=VIAT-TEST; c=DE

News

You have now the possibility to choose English or German language when using WebConfig.  
You may download configuration or relation information stored in CSV files.  
For more details please check short description on service URL "<http://www.service-viat.de>".

- You see the list of all configured Mailbox accounts and you may choose one of them to view or modify the properties or the relations.
- But depending on menu item you may not see all accounts (for example the list in EDI relations will only show those accounts were central EDI function had been activated).



# BusinessMail X.400

## Web Interface

### Group Administrator



## Management of Mailbox account with central EDI function

Erleben, was verbindet.

groupadmin (55695)

Group administrator

Mailbox user	other user
49638	ID=49638; cn=edi tester, g=edi, s=tester, o=testag, n-id=2049638, a=VIAT-TEST, c=DE

### Mailbox Management: Modify Mailbox Properties

Login Information	
Anzahl neuer Nachrichten	0
Anzahl gelisteter Nachrichten	0
Anzahl gelesener Nachrichten	0
Last Login	28.11.2007 07:09:49 UTC
Last Logoff	28.11.2007 07:09:49 UTC
Login Counter / Failures	0 / 0

Reset Login Failures

Profile Data	
Status	active
Service Start Date	2007-11-28
VMS-Logon	test

X.400 Address	
Country (c)	DE
ADMD (a)	VIAT-TEST
PRMD (p)	

- This example shows a Mailbox account where central EDI function is activated. So the main menu item EDI Relation is available.
- You may select one of the menu items to modify the configured values.
- More details about those menu items you'll find in short description of WebConfig for EDIBOX.



# BusinessMail X.400

## Web Interface

### Group Administrator



## Management of AS2 account with central EDI function

Erleben, was verbindet.

groupadmin (55695)

Group administrator

Mailbox user | other user

49639	ID=49639; cn=as2 tester; g=as2; s=tester; o=testag; n-id=2049639; a=VIAT-AS2; c=DE
-------	--

### Mailbox Management: Modify Mailbox Properties

#### Login Information

Last Login	28.11.2007 07:12:23 UTC
Last Logoff	28.11.2007 07:12:23 UTC
Login Counter / Failures	0 / 0

Reset Login Failures

#### Profile Data

Status	active
Service Start Date	2007-11-28

#### X.400 Address

Country (c)	DE	ADMD (a)	VIAT-AS2	PRMD (p)	
UA ID (n-id)	2049639				
Commonname (cn)	as2 tester				
Givenname (g)	as2	Surname (s)	tester		

- This example shows an AS2 account where central EDI function is activated. So beside AS2 X.509 certificate and AS2 -X.400 Relation the main menu item EDI Relation is also available.
- More details about those menu items you'll find in short description of WebConfig for AS2.



# BusinessMail X.400

## Web Interface

### Group Administrator



## Management of MessageGate Account with central EDI function

Erleben, was verbindet.

groupadmin (55695)

BusinessMail X.400 :: WebConfig

Group administrator

Mailbox user | other user

49640 ID=49640; cn=mgate tester; g=mgate; s=mgate; o=testag; n-id=2049640; a=VIAT-AS2; c=DE

Mailbox Management: Modify Mailbox Properties

Login Information

Last Login	28.11.2007 07:13:47 UTC
Last Logoff	28.11.2007 07:13:47 UTC
Login Counter / Failures	0 / 0

Reset Login Failures

Profile Data

Status	active
Service Start Date	2007-11-28

X.400 Address

Country (c)	DE	ADMD (a)	VIAT-AS2	PRMD (p)	
UA ID (n-id)	2049640				
Commonname (cn)	mgate tester				
Givenname (g)	mgate	Surname (s)	tester		

- This example shows a MessageGate account where central EDI function is activated. So beside MessageGate Relation the menu item EDI Relation is also available.
- More details about those menu items you'll find in short description of WebConfig for MessageGate.



# BusinessMail X.400

## Web Interface

### Group Administrator



## Mailbox Administration – Mailbox Account (1)

Erleben, was verbindet.

groupadmin (55695)

Group administrator

Mailbox user: other user

55695 cn=groupadmin tester, g=groupadmin, s=tester, o=testag, n-id=2055695, a=VIAT-TEST, c=DE

Mailbox Management: Modify Mailbox Properties

Login Information	
Number of new messages	0
Number of listed messages	0
Number of processed messages	0
Last Login	16.02.2009 09:14:13 UTC
Last Logoff	16.02.2009 09:14:13 UTC
Login Counter / Failures	0 / 0

Reset Login Failures

Profile Data	
Status	active
Service Start Date	2009-02-16
Logonname	GROUPADMIN-XBAO
<input type="checkbox"/> P7 strong authentication	<input type="checkbox"/> Password Expired

- In this menu item you may reset the Login failure counter and set the maximum number of Login failure which will disable the access to the mailbox.
- You have the possibility to modify your mailbox logon name and password. Please change the login data only if you are using a P7 remote user agent or interactive access (LUA) or CDIF user agent (PC-Box).
- When using BUA/FTP (file interface) please contact Helpdesk to change FTP password.



# BusinessMail X.400

## Web Interface

## Group Administrator



## Mailbox Administration – Mailbox Account (2)

The screenshot displays the 'Mailbox Account (2)' configuration page in the BusinessMail X.400 Web Interface. It is divided into two main sections: 'Profile Data' and 'X.400 Address'.

**Profile Data:**

- Status: active
- Service Start Date: 2009-02-16
- Logonname: GROUPADMIN-XBAO
- P7 strong authentication (with a warning icon) and  Password Expired
- Password: [masked with dots]
- Repeat password: [masked with dots]
- Max. number Login failures: 3 (0=unlimited)

**X.400 Address:**

- Country (c): DE
- ADMD (a): VIAT-TEST
- PRMD (p): [empty]
- UA ID (n-id): 2055695
- Commonname (cn): groupadmin tester
- Givenname (g): groupadmin
- Surname (s): tester
- Organization (o): testag
- Org Unit 1 (ou1): [empty]
- Org Unit 2 (ou2): [empty]
- Org Unit 3 (ou3): [empty]
- Org Unit 4 (ou4): [empty]

At the bottom of the form are 'Ok' and 'Cancel' buttons.

- If the P7 client (Remote User Agent) of mailbox user does support the strong authentication, a public certificate is configured in Message Store and the private key is configured in P7 client, you may enable the option P7 strong authentication.
- If the option “P7 strong authentication” is enabled only, the Helpdesk is able to disable this feature or to remove compromised certificates.



# BusinessMail X.400

## Web Interface

## Group Administrator



### Mailbox Administration – Mailbox Account (3)

**Profile Data**

Status	active
Service Start Date	2009-02-16
Logonname	GROUPADMIN-XBAO
<input type="checkbox"/> P7 strong authentication	<input type="checkbox"/> Password Expired
Password	••••••••
Repeat password	••••••••
Max. number Login failures	3 0=unlimited

**X.400 Address**

Country (c)	DE	ADMD (a)	VIAT-TEST	PRMD (p)	
UA ID (n-id)	2055695				
Commonname (cn)	groupadmin tester				
Givenname (g)	groupadmin	Surname (s)	tester		
Organization (o)	testag				
Org Unit 1 (ou1)		Org Unit 2 (ou2)			
Org Unit 3 (ou3)		Org Unit 4 (ou4)			

Ok Cancel

- If the parameter "Password Expired" is enabled, you have to enter a new mailbox password before you are able to enter the mailbox.
- In this menu item you may modify the X.400 address of Mailbox account. You are not allowed to modify the address element Organization, PRMD, ADMD and Country.



# BusinessMail X.400

## Web Interface

### Group Administrator



## Mailbox Administration – List Accounts

Erleben, was verbindet.

groupadmin (55695)

Group administrator

Mailbox user	other user
55695	ID=55695; cn=groupadmin tester; g=groupadmin; s=tester; o=testag; n-id=2055695; a=VIAT-TEST; c=DE

Mailbox user

- ID=49637; cn=ipm tester; g=ipm; s=tester; o=testag; n-id=2049637; a=VIAT-TEST; c=DE
- ID=49638; cn=edi tester; g=edi; s=tester; o=testag; n-id=2049638; a=VIAT-TEST; c=DE
- ID=49639; cn=as2 tester; g=as2; s=tester; o=testag; n-id=2049639; a=VIAT-AS2; c=DE
- ID=49640; cn=mgate tester; g=mgate; s=tester; o=testag; n-id=2049640; a=VIAT-AS2; c=DE
- ID=55695; cn=groupadmin tester; g=groupadmin; s=tester; o=testag; n-id=2055695; a=VIAT-TEST; c=DE
- ID=55696; cn=000; s=000; o=testag; n-id=2055696; a=VIAT-TEST; c=DE
- ID=55697; cn=001; s=001; o=testag; n-id=2055697; a=VIAT-TEST; c=DE
- ID=55698; cn=002; s=002; o=testag; n-id=2055698; a=VIAT-TEST; c=DE
- ID=60000; cn=test evnlogin1; g=test; s=evnlogin1; o=dtag; n-id=2060000; a=VIAT-TEST; c=DE
- ID=60001; cn=test evnlogin2; g=test; s=evnlogin2; o=dtag; n-id=2060001; a=VIAT-TEST; c=DE
- ID=60002; cn=test evnlogin3; g=test; s=evnlogin3; o=dtag; n-id=2060002; a=VIAT-TEST; c=DE

News

You have now the possibility to choose English or German language when using WebConfig.  
You may download configuration or relation information stored in CSV files.  
For more details please check short description on service URL "<http://www.service-viat.de>".

- In this menu item you may also choose an other user.
- You'll get a list of all accounts configured for your group administrator function.
- But depending on menu item you may not see all accounts (for example the list in EDI relations will only show those accounts were central EDI function had been activated).



# BusinessMail X.400

## Web Interface

### Group Administrator



## Mailbox Administration – AS2 Account

Erleben, was verbindet.

groupadmin (55695)

Group administrator

Mailbox user: other user

49639 ID=49639; cn=as2.testster, g=as2, s=testster, o=testtag, n-id=2049639, a=VIAT-AS2, c=DE

### Mailbox Management: Modify Mailbox Properties

**Login Information**

Last Login	28.11.2007 07:12:23 UTC
Last Logoff	28.11.2007 07:12:23 UTC
Login Counter / Failures	0 / 0

**Reset Login Failures**

**Profile Data**

Status	active
Service Start Date	2007-11-28

**X.400 Address**

Country (c)	DE	ADMD (a)	VIAT-AS2	PRMD (p)	
UA ID (n-id)	2049639				
Commonname (cn)	as2.testster				
Givenname (g)	as2	Surname (s)	tester		

- In this example you may modify the X.400 address of AS2.
- For use of AS2 gateway there is no login so the menu item to modify password won't be available.





Thank You!

Erleben, was verbindet.

